

CERTIFICATE



TÜV NORD CERT GmbH
herewith declares that

Perlight Solar Co., Ltd.

OUFENG ROAD, MUYU ADMINISTRATION AREA, ZEGUO TOWN
WENLING CITY, ZHEJIANG PROVINCE, 317521
P.R. CHINA

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

PV Modules with 6" Mono-crystalline Solar Cells

PV Modules with 5" Mono-crystalline Solar Cells

Tested according to: IEC / EN 61215: 2005;
IEC 61730-1: 2004 / EN 61730-1: 2007;
IEC 61730-2: 2004 / EN 61730-2: 2007.

Registered No.: 44 780 13 406749 - 118

Manufacturer: see Annex 1

Test Report No.: 492010415.001

File No.: SHV04017/13-03

Valid until: 2018-06-16

TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2013-06-17

Please also pay attention to the information stated overleaf.

Manufacturer:

Manufacturer:

Perlight Solar Co., Ltd.

OUFENG ROAD, MUYU ADMINISTRATION AREA, ZEGUO TOWN
WENLING CITY, ZHEJIANG PROVINCE, 317521, P.R. CHINA

Factory inspection report no.:

862010190.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:

PV Modules with 6" Mono-crystalline Silicon Solar Cells:

72 cells: PLM-***M-72F (***) = 245-320, in increment of 5)
72 cells: PLM-***MB-72F (***) = 245-320, in increment of 5)
60 cells: PLM-***M-60F (***) = 220-270, in increment of 5)
60 cells: PLM-***MB-60F (***) = 220-270, in increment of 5)
54 cells: PLM-***M-54F (***) = 185-240, in increment of 5)
54 cells: PLM-***MB-54F (***) = 185-240, in increment of 5)

Maximum system voltage: 1000V
Fuse rating: 15A
Application class: Class A
Electrical protection class: Class II
Fire safety class: Class C
Rated mechanical load: 2400Pa

Module types:


PV Modules with 5" Mono-crystalline Silicon Solar Cells:

96 cells: PLM-***M-96F (***) = 230-280, in increment of 5)
96 cells: PLM-***MB-96F (***) = 230-280, in increment of 5)
72 cells: PLM-***M-72F (***) = 160-210, in increment of 5)
72 cells: PLM-***MB-72F (***) = 160-210, in increment of 5)
36 cells: PLM-***M-36F (***) = 80-105, in increment of 5)
36 cells: PLM-***MB-36F (***) = 80-105, in increment of 5)

Maximum system voltage: 1000V
Fuse rating: 15A
Application class: Class A
Electrical protection class: Class II
Fire safety class: Class C
Rated mechanical load: 2400Pa

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

CERTIFICATE



TÜV NORD CERT GmbH
herewith declares that

Perlight Solar Co., Ltd.

OUFENG ROAD, MUYU ADMINISTRATION AREA, ZEGUO TOWN
WENLING CITY, ZHEJIANG PROVINCE, 317521
P.R. CHINA

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

PV Modules with 6" Poly-crystalline Solar Cells

Tested according to: IEC / EN 61215: 2005;
IEC 61730-1: 2004 / EN 61730-1: 2007;
IEC 61730-2: 2004 / EN 61730-2: 2007.

Registered No.: 44 780 13 406749 - 119

Manufacturer: see Annex 1

Test Report No.: 492010415.001

File No.: SHV04017/13-03

Valid until: 2018-06-16

TÜV NORD CERT GmbH
Certification Body
Consumer Products

Essen, 2013-06-17

Please also pay attention to the information stated overleaf.

Anlage 1 zum Zertifikat Nr.: / Annex 1 to Certificate No.: 44 780 13 406749 - 119

Seite / Page 1 von / of 1

Aktenzeichen: / File reference: SHV04017/13-03

2013-06-17

Manufacturer:

Manufacturer:

Perlight Solar Co., Ltd.

OUFENG ROAD, MUJU ADMINISTRATION AREA, ZEGUO TOWN
WENLING CITY, ZHEJIANG PROVINCE, 317521, P.R. CHINA

Factory inspection report no.:

862010190.001

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:

PV Modules with 6" Poly-crystalline Silicon Solar Cells:

72 cells: PLM-***P-72F (***) = 235-320, in increment of 5)

60 cells: PLM-***P-60F (***) = 195-265, in increment of 5)

60 cells: PLM-P***F (***)=200-240, in increment of 10)

54 cells: PLM-***P-54F (***) = 180-240, in increment of 5)

Maximum system voltage:

1000V

Fuse rating:

15A

Application class:

Class A

Electrical protection class:

Class II

Fire safety class:

Class C

Rated mechanical load:

2400Pa

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products